

Neopentyl glycol dioleate

Neopentyl glycol dioleate is listed in the NPG ESTERS (Neopentyl Glycol) range for advanced industrial ester and formulation enquiries.

DOCUMENT TYPE	Technical Data Sheet (TDS)
PRODUCT CODE	ADT-CAT-298
DOCUMENT TITLE	Adtec 136 (NPGDO)- TDS
VERSION	Current controlled copy
ISSUE / REVISION	Refer to source document
REGION / LANGUAGE	Global / English

CONTROLLED DOCUMENT NOTICE

This branded cover is provided for document identification and distribution. The following pages are the original controlled technical document and remain the authoritative technical content.



PRODUCT BULLETIN

Adtec™ 136 **Neopentyl Glycol Dioleate**

Description:

Adtec™ 136 (Neopentyl Glycol Dioleate) is a polyol ester made by the reaction of neopentyl glycol (NPG) with oleic acid. It is commonly referred to as NPGDO.

Applications:

Adtec™ 136 is an ISO grade 22 synthetic polyol ester, offering excellent lubricity and thermal stability. Adtec™ 136 meets both the OECD 301B Sturm test as well as the CEC-L-33-T-82 requirements for biodegradability.

Typical Properties:

Viscosity @ 100°F	SUS	115-135	ASTM D-445
Total Acid Number	mg KOH/g	1.5 max	ASTM D-974
Saponification Number	mg KOH/g	180 typical	ASTM D-94
Moisture	%	<0.1	ASTM D-1744
Color, Gardner	1963	6 max	ASTM D-1544
Fire Point	°C	320 typical	ASTM D-92
Flash Point	°C	260 min	ASTM D-92

Availability:

Adtec™ 136 is available in bulk tank trucks and iso-containers or packaged in 55-gallon steel drums and 5-gallon pails.

Information contained herein is believed to be correct and reliable; however, Advance Technologies, LLC does not assume responsibility for it or for recommendations of our representatives inasmuch as conditions and methods of use are beyond our control. Further, we make no warranty, expressed or implied, of any kind regarding these products or their use, and purchaser assumes all risk of use or handling either in accordance with directions or not.

June, 2006